

New Directory Enhancements - Phase 2

The PAML Test Directory lists our full menu of tests and provides collection instructions, specimen requirements, container information, patient instructions, CPT codes and run schedules for each test. We have added additional features to the Test Directory that enhance your ability to find more information in less time.



A	B	C	D	E	F
G	H	I	J	K	L
M	N	O	P	Q	R
S	T	U	V	W	X
Y	Z	#	ALLERGENS		

Search

Enter Search Criteria

Name or Synonym

Test Code (Exact)

Advanced

New Feature:

A single input box is provided for your text and the supported radio buttons allow you to select your preferred search criteria.

Note

Cookies have been enabled to make the searching experience more personalized. The directory will now default to the last search method used (advanced, test name, order code-exact). You may see a notification to enable cookies if they are not currently enabled.

Name or Synonym Enter partial or exact search criteria for a test name or synonym.

Test Code (Exact) Enter search criteria for the exact test code.

Advanced Enter the test code, CPT code, or portions of reference ranges for an expanded search.

New Feature:

We now have only one test code and it has a new look that is much easier to read.

In most cases when available, the item number can be clicked on to show the container needed for collection of the test.

New Feature:

New Billing code added. The order code has been moved down below CPT codes and is now called *Billing Code*. This code may be different from the Test Code.



ACETONE

Test Code	KET
SPECIMEN REQUIREMENTS	
Container Type	SST
Supply Item Number	1375
Specimen Type	Serum
Preferred Volume	1 mL
Specimen Processing	Separate serum or plasma from cells and Store and transport refrigerated.
Alternate Specimens	EDTA or sodium heparinized plasma (lav
Department	PSHMC Chemistry
Reference Laboratory	PSHMC
CPT Codes	82009
Billing Code	ACETONE
Test Schedule	Daily & STAT
Turnaround Time	1-2 days
Method	Acetest/Nitroprusside
Test Includes	Acetone.
Reference Ranges	Acetone Negative
Notes	Dilutions will no longer be performed or reported on positive results.

Lab Tests Online®

